

Tab. S1 - Original presence (1) and absence (0) data used to perform the analysis and geographical coordinates of each sampling plot. (a): geographical coordinates, (b): dead wood macrofungi, (c): soil macrofungi, (d): epiphytic lichens, (e): dead wood lichens, (f): bark beetles, (g): longhorn beetles, (h): ground beetles, (i): birds. Species nomenclature followed Padovan (2008), Nimis & Martellos (2003), Sitzia et al. (2015), and Fracasso et al. (2009) for macrofungi, lichens, beetles, and birds, respectively. Sampling plots are reported only when at least one species was recorded.

(a)

ID	Watershed	Coordinate N (EPSG: 3003)	Coordinate E (EPSG: 3003)
1caj	Cajada	1750260.89	5126059.11
2caj	Cajada	1749944.97	5126101.95
3caj	Cajada	1749703.51	5125964.16
4caj	Cajada	1750472.08	5125575.47
5caj	Cajada	1749515.3	5125272.14
6caj	Cajada	1749767.33	5125269.21
7caj	Cajada	1749384.23	5124900.33
8caj	Cajada	1749269.54	5124767.28
9caj	Cajada	1749181.31	5124645.06
10caj	Cajada	1749013.45	5124521.49
1tov	Tovanella	1754196.33	5133698.84
2tov	Tovanella	1754039.09	5133617.2
3tov	Tovanella	1754272.27	5134134.22
4tov	Tovanella	1754451.28	5133945.06
5tov	Tovanella	1754122.55	5133818.77
6tov	Tovanella	1754797.93	5133589.11
7tov	Tovanella	1754690.54	5133689.68
8tov	Tovanella	1754486.61	5133526.92
9tov	Tovanella	1754347.55	5133488.75
10tov	Tovanella	1754080.42	5133507.33

(b)

Species	ID															
	5caj	6caj	7caj	8caj	9caj	2caj	4caj	1tov	2tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov
<i>Aleurodiscus amorphus</i> (Pers.) J. Schröt.	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
<i>Bisporella citrina</i> (Batsch) Korf & S.E. Carp.	0	0	0	0	0	0	0	1	0	0	0	1	1	0	1	0
<i>Calocera viscosa</i> (Pers.) Fr.	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	1
<i>Clavulicium macounii</i> (Burt) J. Erikss. & Boidin ex Parmasto	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Dacrymyces chrysospermus</i> Berk. & M.A. Curtis	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
<i>Daedaleopsis confragosa</i> (Bolton) J. Schröt.	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
<i>Daedaleopsis tricolor</i> (Bull.) Bondartsev & Singer	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
<i>Datronia mollis</i> (Sommerf.) Donk	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
<i>Femsjonia peziziformis</i> (Lév.) P. Karst.	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Heterobasidion annosum</i> (Fr.) Bref.	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
<i>Hydropus marginellus</i> (Pers.) Singer	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hypoxylon fragiforme</i> (Pers.) J. Kickx f.	1	1	0	0	0	0	0	1	0	0	0	1	0	0	0	0
<i>Hypholoma marginatum</i> J. Schröt.	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Laxitextum bicolor</i> (Pers.) Lentz	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Lycoperdon pyriforme</i> Schaeff.	0	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0
<i>Gymnopus androsaceus</i> (L.) Della Maggiora & Trassinelli	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Megacollybia platyphylla</i> (Pers.) Kotl. & Pouzar	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
<i>Oligoporus caesius</i> (Schrad.) Gilb. & Ryvarden	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
<i>Oudemansiella mucida</i> (Schrad.) Höhn.	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
<i>Panellus mitis</i> (Pers.) Singer	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

Sitzia T, Campagnaro T, Dainese M, Cassol M, Dal Cortivo M, Gatti E, Padovan F, Sommacal M, Nascimbene J (2017).

Contrasting multi-taxa diversity patterns between abandoned and non intensively managed forests in the southern Dolomites

iForest – Biogeosciences and Forestry – doi: [10.3832/ifor2181-010](https://doi.org/10.3832/ifor2181-010)

Species	ID															
	5caj	6caj	7caj	8caj	9caj	2caj	4caj	1tov	2tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov
<i>Pholiota astragalina</i> (Fr.) Singer	1	1	1	1	1	0	0	1	0	0	1	0	0	0	0	0
<i>Pholiota aurivella</i> (Batsch) P. Kumm.	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Pholiota squarrosa</i> (Vahl) P. Kumm.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Plicatura crispa</i> (Pers.) Rea	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
<i>Pluteus cervinus</i> (Schaeff.) P. Kumm.	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Pluteus roseipes</i> Höhn.	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Polyporus varius</i> (Pers.) Fr.	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
<i>Pseudohydnum gelatinosum</i> (Scop.) P. Karst.	1	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0
<i>Sparassis brevipes</i> Krombh.	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
<i>Stereum sanguinolentum</i> (Alb. & Schwein.) Fr.	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
<i>Trichaptum abietinum</i> (Dicks.) Ryvarde	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Tricholomopsis decora</i> (Fr.) Singer	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Xeromphalina campanella</i> (Batsch) Kühner & Maire	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
<i>Xylaria hypoxylon</i> (L.) Grev.	0	0	0	0	0	1	0	0	0	0	0	1	1	0	1	0

(c)

Species	ID																			
	1caj	2caj	3caj	4caj	5caj	6caj	7caj	8caj	9caj	10caj	1tov	2tov	3tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov
<i>Agaricus dulcidulus</i> Schulzer	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Amanita citrina</i> (Schaeff.) Pers.	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
<i>Amanita muscaria</i> (L.) Lam.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Boletus edulis</i> Bull.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Clitocybe phyllophila</i> (Pers.) P. Kumm.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
<i>Cortinarius brunneus</i> (Pers.) Fr.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cortinarius camphoratus</i> (Fr.) Fr.	0	0	1	0	0	0	0	0	1	1	0	0	1	0	0	0	1	0	0	0
<i>Cortinarius ectypus</i> J. Favre	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cortinarius elegantior</i> (Fr.) Fr.	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0
<i>Cortinarius infractus</i> (Pers.) Fr.	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0
<i>Cortinarius odorifer</i> Britzelm.	0	1	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	1	0	0
<i>Cortinarius splendens</i> Rob. Henry	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
<i>Cortinarius variicolor</i> (Pers.) Fr.	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cortinarius varius</i> (Schaeff.) Fr.	0	1	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0	0
<i>Cortinarius venetus</i> (Fr.) Fr.	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0
<i>Craterellus melanoxeros</i> (Desm.) Pérez-De-Greg	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cystoderma carcharias</i> (Pers.) Fayod	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0

Sitzia T, Campagnaro T, Dainese M, Cassol M, Dal Cortivo M, Gatti E, Padovan F, Sommacal M, Nascimbene J (2017).

Contrasting multi-taxa diversity patterns between abandoned and non intensively managed forests in the southern Dolomites

iForest – Biogeosciences and Forestry – doi: [10.3832/ifer2017-010](https://doi.org/10.3832/ifer2017-010)

Species	ID																			
	1caj	2caj	3caj	4caj	5caj	6caj	7caj	8caj	9caj	10caj	1tov	2tov	3tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov
<i>Geastrum fimbriatum</i> Fr.	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
<i>Gymnopus hariolorum</i> (Bull.) Antonín	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
<i>Gymnopus perforans</i> (Hoffm.) Antonín & Noordel.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Hebeloma senescens</i> Berk. & Broome	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
<i>Hebeloma sinapizans</i> (Paulet) Gillet	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
<i>Hydnum rufescens</i> Schaeff.	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	0	0
<i>Hygrophorus eburneus</i> (Bull.) Fr.	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0
<i>Hymenopellis radicata</i> (Relhan) R.H. Petersen	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	0
<i>Infundibulicybe gibba</i> (Pers.) Harmaja	0	1	1	0	0	0	0	1	0	0	1	0	1	1	1	1	0	1	0	1
<i>Inocybe cervicolor</i> (Pers.) Quél.	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	0	0	1	0	0
<i>Inocybe fraudans</i> (Britzelm.) Sacc.	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	0	0
<i>Inocybe geophylla</i> (Bull.) P. Kumm.	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	0	0
<i>Inocybe lanuginosa</i> var. <i>ovatocystis</i> (Boursier & Kühner) Stangl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
<i>Inocybe rimosa</i> (Bull.) P. Kumm.	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Laccaria amethystina</i> Cooke	0	1	0	0	0	1	0	0	0	1	0	0	0	0	0	1	0	1	0	1
<i>Lactarius acris</i> (Bolton) Gray	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
<i>Lactarius albocarneus</i> Britzelm.	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0

Sitzia T, Campagnaro T, Dainese M, Cassol M, Dal Cortivo M, Gatti E, Padovan F, Sommacal M, Nascimbene J (2017).

Contrasting multi-taxa diversity patterns between abandoned and non intensively managed forests in the southern Dolomites

iForest – Biogeosciences and Forestry – doi: [10.3832/ifor2181-010](https://doi.org/10.3832/ifor2181-010)

Species	ID																			
	1caj	2caj	3caj	4caj	5caj	6caj	7caj	8caj	9caj	10caj	1tov	2tov	3tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov
<i>Lactarius azonites</i> (Bull.) Fr.	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Lactarius blennius</i> (Fr.) Fr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
<i>Lactarius deterrimus</i> Gröger	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	0	0	0	0
<i>Lactarius intermedius</i> Krombh. ex Berk. & Broome	1	1	1	1	0	0	0	0	0	0	1	1	1	1	1	0	0	1	0	0
<i>Lactarius pallidus</i> Pers.	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	1
<i>Lactarius salmonicolor</i> R. Heim & Leclair	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Lactarius scrobiculatus</i> (Scop.) Fr.	1	1	1	0	0	0	0	0	0	0	1	1	1	0	1	1	0	1	0	1
<i>Lepiota clypeolaria</i> (Bull.) P. Kumm.	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
<i>Lepiota magnispora</i> Murrill	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
<i>Lycoperdon perlatum</i> Pers.	1	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	1	0	0	0
<i>Marasmius bulliardii</i> Quél.	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0	0	1
<i>Marasmius torquescens</i> Quél.	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0
<i>Marasmius wynneae</i> Berk. & Broome	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
<i>Mycena aurantiomarginata</i> (Fr.) Quél.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
<i>Mycena galopus</i> (Pers.) P. Kumm.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
<i>Mycena haematopus</i> (Pers.) P. Kumm.	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0
<i>Mycena pelianthina</i> (Fr.) Quél.	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1
<i>Mycena pura</i> (Pers.) P. Kumm.	0	0	0	0	0	0	0	0	1	0	1	1	1	1	0	1	1	0	1	1
<i>Mycena rosea</i> Gramberg	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0

Sitzia T, Campagnaro T, Dainese M, Cassol M, Dal Cortivo M, Gatti E, Padovan F, Sommacal M, Nascimbene J (2017).

Contrasting multi-taxa diversity patterns between abandoned and non intensively managed forests in the southern Dolomites

iForest – Biogeosciences and Forestry – doi: [10.3832/ifor2181-010](https://doi.org/10.3832/ifor2181-010)

Species	ID																			
	1caj	2caj	3caj	4caj	5caj	6caj	7caj	8caj	9caj	10caj	1tov	2tov	3tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov
<i>Mycena sanguinolenta</i> (Alb. & Schwein.) P. Kumm.	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	1
<i>Mycetinis alliaceus</i> (Jacq.) Earle ex A.W. Wilson & Desjardin	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	1
<i>Mycetinis scorodonius</i> (Fr.) A.W. Wilson & Desjardin	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
<i>Ramaria largentii</i> Marr & D.E. Stuntz	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Rhodocollybia butyracea</i> f. <i>asema</i> (Fr.) Antonín, Halling & Noordel.	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
<i>Russula acrifolia</i> Romagn.	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
<i>Russula badia</i> Quéł.	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0
<i>Russula cavipes</i> Britzelm.	1	0	0	0	1	1	1	1	1	1	1	1	1	0	1	1	1	1	0	1
<i>Russula chloroides</i> (Krombh.) Bres.	1	1	1	1	0	0	1	0	1	0	1	1	1	0	1	1	0	1	1	1
<i>Russula cyanoxantha</i> (Schaeff.) Fr.	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Russula emetica</i> (Schaeff.) Pers.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Russula fellea</i> (Fr.) Fr.	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Russula firmula</i> Jul. Schäff.	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Russula langei</i> Bon	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Russula mairei</i> Singer	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
<i>Russula nauseosa</i> (Pers.) Fr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Russula queletii</i> Fr.	0	1	1	0	1	0	0	1	0	0	1	1	1	1	1	0	1	1	1	1
<i>Russula subfoetens</i> W.G. Sm.	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
<i>Russula xerampelina</i>	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0

Sitzia T, Campagnaro T, Dainese M, Cassol M, Dal Cortivo M, Gatti E, Padovan F, Sommacal M, Nascimbene J (2017).

Contrasting multi-taxa diversity patterns between abandoned and non intensively managed forests in the southern Dolomites

iForest – Biogeosciences and Forestry – doi: [10.3832/ifor2181-010](https://doi.org/10.3832/ifor2181-010)

Species	ID																			
	1caj	2caj	3caj	4caj	5caj	6caj	7caj	8caj	9caj	10caj	1tov	2tov	3tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov
(Schaeff.) Fr.																				
<i>Sarcodon imbricatus</i> (L.) P. Karst.	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	1	0	0
<i>Suillus grevillei</i> (Klotzsch) Singer	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	1	1	1
<i>Suillus viscidus</i> (L.) Roussel	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0
<i>Tricholoma fulvum</i> (DC.) Bigeard & H. Guill.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Tricholoma saponaceum</i> (Fr.) P. Kumm.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Tricholoma sulphureum</i> (Bull.) P. Kumm.	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0

(d)

Species	ID																			
	1caj	2caj	3caj	4caj	5caj	6caj	7caj	8caj	9caj	10caj	1tov	2tov	3tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov
<i>Aplotomma turgida</i> (A.Massal.) A.Massal.	1	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	1
<i>Arthonia radiata</i> (Pers.) Ach.	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1
<i>Arthonia vinosa</i> Leight.	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0
<i>Bacidia laurocerasi</i> (Duby) Zahlbr.	1	0	1	0	1	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
<i>Bacidia subincompta</i> (Nyl.) Arnold	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Calicium viride</i> Pers.	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1	1	0	1	0	0
<i>Cetrelia olivetorum</i> (Nyl.) W. L. Culb. & C. F. Culb.	0	0	0	0	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0
<i>Chaenotheca chrysocephala</i> (Ach.) Th.Fr.	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
<i>Chaenotheca ferruginea</i> (Sm.) Mig.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1
<i>Chaenotheca furfuracea</i> (L.) Tibell	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	0	0	0	1
<i>Chaenotheca stemonea</i> (Ach.) Müll.Arg.	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1
<i>Chaenotheca trichialis</i> (Ach.) Th.Fr.	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	0	0	0	0
<i>Cladonia coniocraea</i> (Flörke) Spreng.	1	1	0	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	0	1
<i>Cladonia fimbriata</i> (L.) Fr.	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0
<i>Cladonia pyxidata</i> (L.) Hoffm.	0	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1
<i>Dimerella pineti</i> (Ach.)	0	1	0	0	1	1	1	1	1	1	1	1	1	0	0	0	1	0	1	0

Species	ID																				
	1caj	2caj	3caj	4caj	5caj	6caj	7caj	8caj	9caj	10caj	1tov	2tov	3tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov	
Ve zda																					
<i>Evernia prunastri</i> (L.) Ach.	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
<i>Graphis scripta</i> (L.) Ach.	0	1	1	1	0	1	1	0	1	0	0	0	1	1	0	0	1	1	1	0	0
<i>Hypogymnia physodes</i> (L.) Nyl.	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	1	0	1	0	0	0
<i>Hypotrachyna revoluta</i> (Flörke) Hale	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
<i>Lecanora argentata</i> (Ach.) Malme	1	0	0	1	0	1	0	0	0	1	0	0	0	1	0	0	0	0	0	0	1
<i>Lecanora carpinea</i> (L.) Vain.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
<i>Lecanora chlarotera</i> Nyl.	1	1	1	0	0	1	1	0	0	0	1	0	0	1	0	0	0	0	0	0	0
<i>Lecidella elaeochroma</i> (Ach.) M.Choisy	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Lecanora</i> sp.	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
<i>Lepraria lobificans</i> Nyl.	1	1	1	1	1	1	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Lepraria</i> sp.	0	0	0	1	1	0	0	0	0	1	0	0	1	1	0	0	1	0	0	1	0
<i>Lobaria pulmonaria</i> (L.) Hoffm.	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Lopadium disciforme</i> (Flot.) Kullh.	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
<i>Melanelixia fuliginosa</i> (Duby) O. Blanco, A. Crespo, Divakar, Essl., D. Hawksw. & Lumbsch	1	1	1	1	1	0	0	0	1	0	1	1	1	1	1	1	0	1	0	1	0
<i>Melanelixia subaurifera</i> (Nyl.) O. Blanco, A. Crespo, Divakar, Essl., D. Hawksw. & Lumbsch	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
<i>Menegazzia terebrata</i> (Hoffm.) A.Massal.	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0

Contrasting multi-taxa diversity patterns between abandoned and non intensively managed forests in the southern DolomitesiForest – Biogeosciences and Forestry – doi: [10.3832/ifor2181-010](https://doi.org/10.3832/ifor2181-010)

Species	ID																			
	1caj	2caj	3caj	4caj	5caj	6caj	7caj	8caj	9caj	10caj	1tov	2tov	3tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov
<i>Micarea lignaria</i> (Ach.) Hedl. var. <i>lignaria</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Micarea prasina</i> Fr.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Micarea</i> sp.	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Mycoblastus affinis</i> (Schaer.) T.Schauer	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	1
<i>Normandina pulchella</i> (Borrer) Nyl.	0	0	0	1	0	1	0	1	0	0	0	0	1	0	0	0	0	0	0	0
<i>Ochrolechia microstictoides</i> Räsänen	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Opegrapha vulgata</i> Ach.	0	1	1	1	1	1	1	1	1	1	0	1	0	1	1	0	0	0	0	1
<i>Parmeliopsis ambigua</i> (Wulfen) Nyl.	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	1	1	0	0
<i>Parmotrema crinitum</i> (Ach.) M.Choisy	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
<i>Parmeliopsis hyperopta</i> (Ach.) Arnold	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
<i>Parmotrema perlatum</i> (Huds.) M.Choisy	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Parmelia saxatilis</i> (L.) Ach.	0	0	1	0	1	1	1	1	0	1	1	1	0	0	1	0	1	1	0	0
<i>Parmelia submontana</i> Hale	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Parmelia sulcata</i> Taylor	0	0	0	0	1	1	1	1	1	0	1	0	0	0	0	1	1	1	0	0
<i>Pertusaria amara</i> (Ach.) Nyl.	1	1	1	1	1	1	1	1	0	1	1	1	0	0	1	1	1	1	0	1
<i>Pertusaria hemisphaerica</i> (Flörke) Erichsen	0	0	0	0	1	1	1	0	0	1	0	0	0	0	1	0	1	0	0	0
<i>Phlyctis argena</i> (Spreng.) Flot.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Platismatia glauca</i> (L.) W. L. Culb. & C. F. Culb.	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0

Sitzia T, Campagnaro T, Dainese M, Cassol M, Dal Cortivo M, Gatti E, Padovan F, Sommacal M, Nascimbene J (2017).
Contrasting multi-taxa diversity patterns between abandoned and non intensively managed forests in the southern Dolomites
iForest – Biogeosciences and Forestry – doi: [10.3832/ifor2181-010](https://doi.org/10.3832/ifor2181-010)

Species	ID																			
	1caj	2caj	3caj	4caj	5caj	6caj	7caj	8caj	9caj	10caj	1tov	2tov	3tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov
<i>Punctelia jeckeri</i> (Roum.) Kalb	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pyrenula nitida</i> (Weigel) Ach.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Ramalina farinacea</i> (L.) Ach.	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
<i>Schismatomma pericleum</i> (Ach.) Branth & Rostr.	0	1	1	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
<i>Strigula stigmatella</i> (Ach.) R.C.Harris	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
<i>Vulpicida pinastri</i> (Scop.) J.E.Mattsson & M.J.Lai	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0

(e)

Species	ID																			
	1caj	2caj	3caj	4caj	5caj	6caj	7caj	8caj	9caj	10caj	1tov	2tov	3tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov
<i>Calicium salicinum</i> Pers.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
<i>Chaenotheca furfuracea</i> (L.) Tibell	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	0	0	0	1
<i>Chaenotheca xyloxena</i> Nád. v.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
<i>Cladonia coniocraea</i> (Flörke) Spreng.	1	1	1	1	1	1	1	1	0	1	1	1	1	0	1	1	1	1	0	1
<i>Cladonia digitata</i> (L.) Hoffm.	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0
<i>Cladonia pyxidata</i> (L.) Hoffm.	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Dimerella pineti</i> (Ach.) Vezda	1	1	1	1	1	1	0	1	0	0	1	1	1	0	0	0	1	0	1	0
<i>Lecanora</i> sp.	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
<i>Lepraria lobificans</i> Nyl.	1	1	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Lepraria</i> sp.	1	0	0	0	0	1	0	0	0	1	0	0	1	1	0	0	1	0	0	1
<i>Micarea hedlundii</i> Coppins	0	1	0	0	0	0	0	0	0	1	0	0	0	1	1	1	0	1	0	0
<i>Micarea prasina</i> Fr.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Micarea</i> sp.	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	1
<i>Opegrapha vulgata</i> Ach.	1	1	1	1	1	1	0	1	1	1	0	1	0	1	1	0	0	0	0	1
<i>Parmeliopsis ambigua</i> (Wulfen) Nyl.	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0
<i>Parmeliopsis hyperopta</i> (Ach.) Arnold	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
<i>Parmelia saxatilis</i> (L.) Ach.	1	1	1	1	0	1	0	0	1	0	1	1	0	0	1	0	1	1	0	0
<i>Parmelia sulcata</i> Taylor	1	1	1	1	1	0	0	0	0	0	1	0	0	0	0	1	1	1	0	0
<i>Peltigera horizontalis</i> (Huds.) Baumg.	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0
<i>Peltigera praetextata</i> (Sommerf.) Zopf	0	0	0	0	0	1	0	0	1	0	0	1	0	1	0	0	0	0	0	0
<i>Phlyctis argena</i> (Spreng.) Flot.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Xylographa parallela</i> (Ach. Fr.) Behlen & Desberger	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0

(f)

Species	ID																			
	caj1	caj2	caj3	caj4	caj5	caj6	caj7	caj8	caj9	caj10	tov1	tov2	tov3	tov4	tov5	tov6	tov7	tov8	tov9	tov10
<i>Cryphalus abietis</i> (Ratzeburg, 1837)	0	1	1	1	0	1	1	1	1	0	1	0	0	0	0	1	1	1	1	1
<i>Crypturgus cinereus</i> (Herbst, 1793)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
<i>Dryocoetes autographus</i> (Ratzeburg, 1837)	0	0	0	1	1	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Ernoporicus fagi</i> (Fabricius, 1798)	0	0	1	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0	0	0
<i>Hylastes cunicularius</i> Erichson, 1836	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Hylurgops palliatus</i> (Gyllenhal, 1813)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Hypothenemus eruditus</i> Westwood, 1836	1	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
<i>Ips typographus</i> (Linnaeus, 1758)	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	1	0	0	1	0
<i>Phloeotribus spinulosus</i> (Rey, 1883)	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	1	1	0	0
<i>Pityophthorus pityographus</i> (Ratzeburg, 1837)	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
<i>Polygraphus grandiclava</i> Thomson, 1886	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
<i>Scolytus intricatus</i> (Ratzeburg, 1837)	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	1	1	1
<i>Trypodendron domesticum</i> (Linnaeus, 1758)	1	1	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1
<i>Trypodendron lineatum</i> (Olivier, 1795)	0	0	1	0	1	1	0	0	0	1	1	1	0	0	1	1	0	1	1	0
<i>Xyleborus dispar</i> (Fabricius, 1792)	1	1	0	1	0	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1
<i>Xylosandrus germanus</i> (Blandford, 1894)	1	0	1	1	1	1	0	1	0	0	1	1	1	1	1	1	1	1	1	1
<i>Xyleborinus saxesenii</i> (Ratzeburg, 1837)	1	0	1	1	1	0	0	0	0	0	1	1	0	0	0	1	1	1	1	0

(g)

Species	ID																			
	caj1	caj2	caj3	caj4	caj5	caj6	caj7	caj8	caj9	caj10	tov1	tov2	tov3	tov4	tov5	tov6	tov7	tov8	tov9	tov10
<i>Alosterna tabacicolor</i> (De Geer, 1775)	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	1	0	0
<i>Callidium aeneum</i> (De-Geer, 1775)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
<i>Clytus lama</i> Mulsant, 1847	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Grammoptera ruficornis</i> (Fabricius, 1781)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Leiopus nebulosus</i> (Linnaeus, 1758)	1	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1
<i>Obrium brunneum</i> (Fabricius, 1792)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0
<i>Phymatodes testaceus</i> (Linnaeus, 1758)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Pidonia lurida</i> (Fabricius, 1792)	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
<i>Pogonocherus hispidulus</i> (Piller & Mitterpacher, 1783)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
<i>Rhagium bifasciatum</i> Fabricius, 1775	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	1
<i>Rhagium inquisitor</i> Linnaeus, 1758	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
<i>Rhagium mordax</i> (De Geer, 1775)	0	0	1	0	0	0	0	0	0	0	1	1	1	1	0	0	1	0	0	0
<i>Rutpela maculata</i> (Poda, 1761)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Saphanus piceus</i> (Laicharting, 1784)	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0
<i>Tetropium castaneum</i> (Linnaeus, 1758)	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1

(h)

Species	ID																			
	caj1	caj2	caj3	caj4	caj5	caj6	caj7	caj8	caj9	caj10	tov1	tov2	tov3	tov4	tov5	tov6	tov7	tov8	tov9	tov10
<i>Abax parallelepipedus inferior</i> (Seidlitz, 1887)	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Abax pilleri</i> Csiki, 1916	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Calathus micropterus</i> (Duftschmid, 1812)	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
<i>Carabus creutzeri kircheri</i> German, 1824	0	0	1	1	1	1	0	0	1	1	1	1	1	1	1	1	1	1	1	1
<i>Carabus germarii</i> Sturm, 1815	0	0	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	1	1
<i>Carabus linnaei</i> Panzer, 1812	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Crisimus placidus besucheti</i> Bucciarelli, 1958	0	1	1	0	0	0	0	1	1	1	0	0	0	0	0	0	1	0	1	0
<i>Cychrus angustatus</i> Hoppe & Hornschuch, 1825	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Cychrus attenatus</i> (Fabricius, 1792)	1	1	0	0	1	1	0	1	0	1	0	0	0	1	1	1	1	0	0	1
<i>Leistus nitidus</i> (Duftschmid, 1812)	0	1	0	0	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0
<i>Molops piceus austriacus</i> Ganglbauer, 1889	0	1	1	0	0	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Notiophilus biguttatus</i> (Fabricius, 1779)	1	0	1	1	1	1	1	1	1	1	1	1	1	0	1	0	0	1	1	1
<i>Platyderus rufus transalpinus</i> Breit, 1914	0	1	0	1	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
<i>Pterostichus burmeisteri</i> Heer, 1838	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Pterostichus oblongopunctatus</i> (Fabricius, 1787)	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pterostichus quadrioveolatus</i> Letzner, 1852	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pterostichus unctulatus</i> (Duftschmid, 1812)	1	1	0	1	1	1	1	1	1	1	1	0	0	1	1	1	1	1	1	1
<i>Synuchus vivalis vivalis</i> (Illiger, 1798)	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Trichotichnus laevicollis</i> (Duftschmid, 1812)	1	0	0	0	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0

Contrasting multi-taxa diversity patterns between abandoned and non intensively managed forests in the southern Dolomites

iForest – Biogeosciences and Forestry – doi: [10.3832/ifor2181-010](https://doi.org/10.3832/ifor2181-010)

(i)

Species	ID																			
	1tov	2tov	3tov	4tov	5tov	6tov	7tov	8tov	9tov	10tov	5caj	6caj	7caj	8caj	9caj	10caj	1caj	2caj	3caj	4caj
<i>Certhia familiaris</i> Linnaeus, 1758	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1
<i>Cuculus canorus</i> Linnaeus, 1758	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	1	0	1	0	0
<i>Dendrocopos major</i> (Linnaeus, 1758)	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	1
<i>Dryocopus martius</i> (Linnaeus, 1758)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
<i>Erithacus rubecula</i> (Linnaeus, 1758)	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1
<i>Regulus ignicapillus</i> (Temminck, 1820)	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Loxia curvirostra</i> Linnaeus, 1758	0	1	0	0	0	0	1	0	1	1	0	1	1	1	0	1	1	0	0	1
<i>Parus ater</i> Linnaeus, 1758	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1
<i>Parus cristatus</i> Linnaeus, 1758	1	1	1	0	0	1	0	1	0	0	0	1	1	1	1	1	1	1	1	0
<i>Parus montanus</i> Conrad von Baldenstein, 1827	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Parus palustris</i> Linnaeus, 1758	0	1	1	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
<i>Prunella modularis</i> (Linnaeus, 1758)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
<i>Pyrrhula pyrrhula</i> (Linnaeus, 1758)	1	0	1	0	0	0	0	1	0	0	0	1	0	1	1	1	1	0	0	1
<i>Regulus ignicapillus</i> (Temminck, 1820)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Regulus regulus</i> (Linnaeus, 1758)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Sylvia atricapilla</i> (Linnaeus, 1758)	0	0	1	0	0	0	0	0	1	1	1	1	1	0	0	0	1	1	0	1
<i>Troglodytes troglodytes</i> (Linnaeus, 1758)	1	1	0	1	0	1	1	0	1	1	1	1	1	1	0	1	0	1	0	1
<i>Turdus merula</i> Linnaeus, 1758	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0	0	1	0	1
<i>Turdus philomelos</i> C. L. Brehm, 1831	0	1	0	1	0	0	1	0	0	1	1	0	1	1	1	1	1	0	1	1
<i>Turdus viscivorus</i> Linnaeus, 1758	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	1	1